

Notice of Allowability

Application No.

10/802,031

Examiner

Joseph D. Pape

Applicant(s)

SCHMITT ET AL.

Art Unit

3612

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the interview of 12/10/04.
2. ☒ The allowed claim(s) is/are 1-10.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 3/17/04
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413),
Paper No./Mail Date 10/12/04.
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Joseph D. Pape
Primary Examiner
Art Unit: 3612

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with James McKeown on 12/15/04.

The application has been amended as follows:

On page 4, line 1, the following phrase has been added after "Figure 6":
--showing the notch lever in its as-manufactured state and in the installed state in which the free end of the notch lever is moved into its installed position on the top side of the rollover bar.

On page 5, line 1, --a—has been inserted before "vertical".

On page 7, line 2, --in the installed state F (dot dashed lines)—has been inserted after "rests". At the end of line 4, the following phrase has been added:
--from an as-manufactured state E (dotted lines) in which the end 30 extends below the rollover bar--.

On page 7, line 7, "an" has been inserted before "upward".

In claim 1, line 1, --A—has been inserted before "wind" and the second occurrence of "a" has been changed to --an--.

In claims 2-10, line 1, --The—has been inserted before "wind".

In claim 4, the last line, "or of the rollover bar" has been deleted.

Art Unit: 3612

In claim 8, line 4, "of a cam shaped" has been changed to --on the--and "with" has been changed to --when--.

In claim 9, line 1, "3" has been changed to --8--. On the last line, "a cam element" has been changed to --the--.

In claim 10, line 3, --the holding elements comprise--has been inserted after "wherein" and "are" has been deleted.


2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: Figure 7 must be changed to also show the leaf spring end 30 in engagement with the bar section 8 to show an installed state F as discussed in the interview of 12/15/04. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph D. Pape whose telephone number is (703) 308-3426. The examiner can normally be reached on Tues.-Fri. (6:00-4:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Dayoan can be reached on (703) 308-3102. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3612

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Joseph D. Pape
Primary Examiner
Art Unit 3612
12/15/04

Jdp

December 15, 2004